


BASELIGHT™

READY FOR TOUGH CHALLENGES



420X



50.000 LM
30kg (66lb)
DIMMABLE
4.5m (15ft)
420W
IP67



PRIME DESIGN SWEDEN
www.baselight.se

BUILT FOR TOUGH CHALLENGES

Baselight is a new generation LED light tower built from the ground up with input from professionals in the rescue and rental industry. Together we created a modern light product using the latest LED technology and materials available to meet the demand for a more flexible light tower. Don't let the size fool you! Baselight is a light system capable to compete with much larger light towers and can easily outperform a 1600W halogen system but more importantly in these areas: Performance, agility and economy.

KEY FEATURES

- Deployed by a single person in 30 seconds without aid of machinery
- Produces 50 000 lumen with 420 power consumption
- Configured as 360 or 180 degree floodlight
- Produces about 30% more light than a 4x400W halogen system
- Consumes 75% less power compared to a 4x400 halogen system
- Multiple units can fit into a normal family car
- Requires no prior training or certification and is simple to operate
- Multiple units can be operated from a portable generator
- Built for easy replacement of parts with a modular design
- Can be used indoors as well as outdoors (IP67) and in extreme temperatures
- Safe to operate with colour coded guidance
- Takes up little space when stored
- Can be fitted with smart accessories (GPS tracking, Wi-Fi, Video Surveillance etc.)
- 50 000 hours life span on LED, 5Year warranty on structural components
- 30 Kg (66lb)



Performance
Economy
Agility

DISCOVER MORE



Baselight is a fully self contained system. All components needed for the light tower to operate are integrated in the rugged chassis. Wheels makes transports on the ground easy.

To ensure Baselights lasting performance in any weather and temperature zone we only use carefully selected materials and production processes.

The weight [30kg/66lb] and size makes it easy for a person to carry and lift. This makes repositioning on a work site easy and fast since no lifting equipment is needed to assist.

The hexagon design allows for three foldable legs that can be individually angled for placement on uneven ground. The legs end with pressure distributing pads that work in any terrain such as mud, gravel or snow.

It can withstand winds up to 20 m/s without support lines and have a IP 67 rating.



The modular design makes it easy to replace any damaged parts. The leg sections can be replaced in 10 minutes and the armature head in less than 15. We carry spare parts that can be shipped anywhere in the world within 24 hours.



The armature is designed so that it can be used either as 360 degree light or flood-light depending on the task.

The optics have been designed to allow for an maximum amount of light on the ground and each armature can be tilted in different positions for optimal reach.

Baselight incorporate specially designed heat sinks that ensures the LED:s are kept cool regardless of the surrounding temperature.




The low power consumption makes Baselight ideal for mobile tasks where a small generator or a car battery with inverter can be used.

Baselight can lit up half a football field in its maximum setting [420W] seamlessly dimmable down to 15W.



Usability and safety has been designed into the product thus making it easy and safe to work with. No prior training is needed. Colour coded components and pictograms are used to draw attention to important functions.

Performance
Economy
Agility



APPLICATION AREAS



Performance
Economy
Agility

TECHNICAL DATA

Wind resistance	up to 20 m/s without support
Luminous flux	50 000 Lumen
Surrounding temperature	-50 to + 50 degree C
Voltage	90 to 305VAC/50hz
Power connector	CEE or Schuko
Colour temperature	6000 Kelvin
Power consumption	15 to 420 Watt [Dimmable]
IP Rating	67
Weight	30 Kg [66lb]
Fully extended height	4.5 Meters [15feet]
Transport dimensions	1200mm x 300mm
Warranty	5 Years
Certification	CE approved

ACCESSORIES

- PVC Cover with zipper [Logos and text can be printed]
- Wheel assembly
- Battery pack with charger [Different models]
- Power Inverter [12VDC to 230 VAC]
- Solar generator with battery
- Portable gasoline generator [Different models]
- Soft carry case with integrated wheels [suitable for air travel]



Performance
Economy
Agility



BASELIGHT
PRIME DESIGN SWEDEN

CONTACT INFORMATION

For further information about Baselight contact your authorized sales representative or visit www.baselight.se.

Manufacturer information and legal notices:

Prime Design Sweden AB

Phone: +46 76 776 57 70

Email: sales@prime-design.se

Baselight is a registered trademark

Baselight is patent pending worldwide

Baselight is pattern protected worldwide

Your local sales representative



Performance
Economy
Agility